



MODEL RANGE

2026

BELLA

EST. 1970 FINLAND



EST. 1970 FINLAND

EVERYTHING IN ORDER

Bella has been designing and manufacturing practical boats for over 50 years.

The user experience has been our driving force; we believe it should be as enjoyable and convenient as possible. By following this principle strictly, Bella has established itself as a boat brand with every detail designed in every boat just the way it should be, placed according to the boater's needs. With Bella, you get everything you need but nothing you don't.

Smart choices are easy to make when all the facts are available.



MODEL RANGE 2026

- Bella 620 C
- Bella 640 DC
- Bella 600 BR | Bella 550 BR | Bella 500 BR
- Bella 600 R | Bella 550 R | Bella 485 R



DYNAMIC DRIVING PLEASURE

Bella's innovative solutions have created a range of boats with safe yet dynamic handling. All of Bella's boats have been designed to boost the skipper's confidence and improve the comfort of passengers. With a Bella, boating is fun, affordable and safe.



DIVERSE RANGE OF USES

Bella's modern boat range offers hull solutions for every preference. Whether you like to enjoy the spacious and comfortable deck solutions of a Bow-Rider or require the versatility of a pilothouse boat, Bella's range has just the boat for you.

BUILT TO LAST

Our continuous R&D work and modern production process guarantees that you get a high-quality Bella boat that will retain its value. Our experts are constantly following boat building trends everywhere in the world, working in close cooperation with designers and raw material suppliers. You can therefore rest assured that only the best raw materials and supplies have been used to make your boat. Our international purchasing network guarantees that, in addition to impeccable quality, you can enjoy a great price-quality ratio.



DETAILS TO GET HOOKED ON

The quality of a Bella emanates comfort, born out of uncompromising boat-building skill and Nordic design. Every detail has a function that improves the boat's usability and characteristics. These details have been constructed from the best materials and designed with the needs of the boat's user in mind.




BELLA 620 C CALM BEFORE THE STORM

Bella 620 C, standard boat without engine

Bella 620 C + Mercury F115 XL EFI CT

Bella 620 C + Mercury F150 XL EFI



STANDARD EQUIPMENT

- 12V DC power outlet, 1 pc
- Anchor/rope locker, bow
- Bilge pump, manual and electric
- Cabin lights
- Cushions, cabin
- Fender basket
- Fixed fuel tank, 144 L
- Hydraulic steering
- Mug holders, 2 pcs
- Option for chartplotter, max 31.5 cm x 18.5 cm
- Rails (black) and fittings stainless, acid proof steel
- Seating in cabin for 6 persons or for 4 in forward direction
- Self-draining cockpit
- Signal horn
- Sliding roof hatch, starboard
- SmartCraft multifunction display
- Speed controller for trolling
- Swim platform + ladder
- Two sleeping berths
- USB charging, 2 pcs
- White hull
- Windshield wiper, 2 pcs

YOUR CHOICE OF EXTRA EQUIPMENT

- Antifouling
- Comfort floor (EVA), cabin, light grey
- Comfort floor (EVA), deck, light grey
- Deck washer
- Double battery system (excl. batteries)
- Drawer refrigerator, 20 L
- Fresh water system, 10 L + tap
- Heater (diesel, 2 kW)
- GPS 9"
- Radio / Bluetooth, Black Box, 2 loudspeakers
- Roof hatch, port side
- Searchlight with remote control
- Sprayhood (not with targa arch)
- Stove + heat blower lid (Wallas 800t + 220)
- Table for fish cleaning, aft
- Targa arch with outrigger holders 2 pcs
- Trim tabs

TEST REPORT

BOAT: BELLA 620 C ENGINE: 115 XL CT EFI INSTALL. HEIGHT: –

DRIVE AND PROPELLER: 14X19" ENERTIA RATIO: 2.38:1

LOAD (PERSONS): 2 AIR TEMP (C°): 14 FRESH WATER TEMP (C°): 16

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)	Noise (dB)
3000	0	10,2	11,9	1,16	75
3500	0	16,1	15,8	0,98	79,5
4000	1,5	21,4	21,6	1,01	80
4500	2	25,5	24,7	0,97	81,5
5000	3	29,7	30,5	1,03	84
5500	3,5	32,1	37,8	1,18	84,5
5700	4	34,4	40,3	1,17	85

TECHNICAL SPECIFICATIONS

Length.....	6,35 m
Beam.....	2,34 m
Weight.....	1 100 kg + engine
Fuel capacity.....	144 L
Fresh water capacity.....	10 L *
Draught.....	0,45 m
Engine options.....	115–150 hp
Berths.....	2
Max persons.....	7
CE class.....	C

*) Optional. The photographs may include optional accessories.
We reserve the right to make changes without prior notice.


The figures in test reports are approximate.
It is possible that the propellers used in the tests are not standard propellers.



BELLA 640 DC

THE CRUISE IN CONTROL

Bella 640 DC, standard boat without engine
 Bella 640 DC + Mercury F115 XL EFI CT
 Bella 640 DC + Mercury F150 XL EFI



STANDARD EQUIPMENT

- 12V DC power outlets, 2 pcs
- Anchor / rope locker, bow and aft
- Bilge pump, electric
- Cockpit cover for harbour use
- Cushions, complete set
- Deck hatch
- Extra swim platforms + swim ladder
- Fender basket, 3 pcs
- Fire extinguisher
- Fixed fuel tank, 135 L
- Hydraulic steering
- Mug holders, 2 pcs
- Navigation lights
- Offshore seat for driver
- Option for chartplotter, 40 cm x 23 cm
- Rails and fittings stainless, acid proof steel
- Self-draining cockpit
- SmartCraft multifunction display
- Speed controller for trolling
- Storage compartment under deck: 130 cm x 75 cm x 35 cm
- Sunbed, aft, incl. cushion
- USB charging, 3 pcs
- Windshield wiper, starboard
- White hull

YOUR CHOICE OF EXTRA EQUIPMENT

- Antifouling
- Canopy
- Comfort floor (EVA), light grey
- Double battery system (excl. batteries)
- Drawer refrigerator, 30 L
- Fresh water system, 10 L + tap
- GPS 9"
- Radio / Bluetooth, Black Box, 2 loudspeakers
- Table, cockpit
- Trim tabs
- Water ski pole
- Windshield wiper, port side
- Black rails and cleats (only factory installation)

TEST REPORT

BOAT: BELLA 640 DC **ENGINE:** 150 XL EFI **INSTALL. HEIGHT:** 2.
DRIVE AND PROPELLER: 14.5X17" ENERTIA 898994A46 **RATIO:** 1.92:1
LOAD (PERSONS): 2 **AIR TEMP (C°):** 0 **FRESH WATER TEMP (C°):** 8

RPM	Trim°	Speed (kn)	Fuel (L / h)	Fuel (L / nm)
3000	0	17,4	14,1	0,81
3500	1,5	23,0	17,8	0,77
4000	2,5	27,4	24,2	0,88
4500	3,5	31,7	31,1	0,98
5000	4	35,5	37,0	1,04
5500	4	38,9	47,4	1,22
5800	4,5	41,2	54,3	1,32

The figures in test reports are approximate.
 It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	6,58 m
Beam.....	2,34 m
Weight.....	1 200 kg + engine
Fuel capacity.....	135 L
Fresh water capacity.....	10 L *
Draught.....	0,43 m
Engine options.....	115-150 hp
Berths.....	2+2
Max persons.....	7
CE class.....	C

*) Optional. The photographs may include optional accessories.
 We reserve the right to make changes without prior notice.



BELLA 600 BR

QUALITY IS IN THE DETAILS

Bella 600 BR, standard boat without engine

Bella 600 BR + Mercury F115 CT XL EFI

Bella 600 BR + Mercury F150 XL EFI



STANDARD EQUIPMENT

12V DC power outlets, 2 pcs
 Anchor/rope locker, bow and aft
 Bilge pump, manual and electric
 Canopy storage
 Cockpit cover for harbour use, aft
 Cushions, aft
 Fender basket, 4 pcs
 Fire extinguisher
 Fixed fuel tank, 135 L
 Hydraulic steering
 Mug holders, 6 pcs
 Navigation lights
 Offshore seats
 Option for chartplotter, max 33 cm x 26 cm
 Rails and fittings stainless, acid proof steel
 Self-draining cockpit
 SmartCraft multifunction display
 Speed controller for trolling
 Storage compartment under deck: 125 cm x 54 cm x 35 cm
 Storage space and 12V power plug for cool box
 Swim ladder
 USB charging, 2 pcs
 Windscreen in tempered glass
 White hull

YOUR CHOICE OF EXTRA EQUIPMENT

Antifouling
 Canopy
 Cockpit cover for harbour use, bow
 Comfort floor (EVA), light grey
 Cushions, bow
 Extra swim platform + ladder (only factory installation)
 GPS 9"
 Sunbed, bow
 Table, cockpit
 Trim tabs
 Water ski pole
 Windshield wiper, port side
 Windshield wiper, starboard
 Black rails and cleats (only factory installation)

TEST REPORT

BOAT: BELLA 600 BR ENGINE: 150 XL EFI INSTALL. HEIGHT: 2.

DRIVE AND PROPELLER: 14X19" ENERTIA RATIO: 2.38:1

LOAD (PERSONS): 2 AIR TEMP (C°): 2 FRESH WATER TEMP (C°): 3

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
2500	0	11,5	11,5	1,00
3000	0	18,1	13,6	0,75
3500	1	23,2	17,8	0,77
4000	2,5	28,1	25,1	0,89
4500	4	31,8	31,0	0,97
5000	5	36,1	38,5	1,07
5700	6	41,1	54,7	1,33

The figures in test reports are approximate.
 It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	6,05 m
Beam.....	2,34 m
Weight.....	1 000 kg + engine
Fuel capacity.....	135 L
Draught.....	0,42 m
Engine options.....	115–150 hp
Max persons.....	7
CE class.....	C

The photographs may include optional accessories.
 We reserve the right to make changes without prior notice.



BELLA 550 BR MORE THAN MEETS THE EYE

Bella 550 BR, standard boat without engine

Bella 550 BR + Mercury F100 ELPT EFI

Bella 550 BR + Mercury F115 L EFI



STANDARD EQUIPMENT

12V DC power outlets, 2 pcs
Anchor/rope locker, bow and aft
Bilge pump, electric
Canopy storage
Cockpit cover for harbour use, aft
Cushions, aft
Fender basket, 2 pcs
Fire extinguisher
Fixed fuel tank, 105 L
Hydraulic steering
L-shaped bench, aft
Mug holders, 6 pcs
Multifunctional passenger seat, port side
Navigation lights
Offshore seat for driver
Option for chartplotter, max 40 cm x 21 cm
Rails and fittings stainless, acid proof steel
Self-draining cockpit
SmartCraft multifunction display
Speed controller for trolling
Storage compartment under deck: 130 cm x 50 cm x 30 cm
Storage space and 12V power plug for cool box
Swim ladder
USB charging, 2 pcs
Windscreen in tempered glass
White hull

YOUR CHOICE OF EXTRA EQUIPMENT

Antifouling
Canopy
Cockpit cover for harbour use, bow
Comfort floor (EVA), light grey
Cushions, bow, 3 pieces
Extra swim platform + ladder (factory installation)
GPS 9"
Sunbed, aft, incl. cushion
Table, cockpit, aft
Water ski pole
Windshield wiper, port side
Windshield wiper, starboard
Black rails and cleats (only factory installation)

TEST REPORT

BOAT: BELLA 550 BR ENGINE: 115 L EFI INSTALL. HEIGHT: 1.

DRIVE AND PROPELLER: 13.25 X 17" BLACKMAX RATIO: 2.07:1

LOAD (PERSONS): 2 AIR TEMP (C°): 18 FRESH WATER TEMP (C°): 17

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
3000	0	14,6	10,5	0,72
3500	1	20,5	13,8	0,67
4000	2,5	25,0	18,2	0,73
4500	3	28,4	23,2	0,82
5000	4,5	32,0	27,7	0,87
5500	5	35,7	35,6	1,00
6100	4,5	39,2	42,1	1,07

The figures in test reports are approximate.
It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS


Length.....	5,53 m
Beam	2,15 m
Weight.....	650 kg + engine
Fuel capacity.....	105 L
Draught	0,40 m
Engine options	100-115 hp
Max persons	7
CE class	C

The photographs may include optional accessories.
We reserve the right to make changes without prior notice.



BELLA 500 BR BIGGER THAN ITS SIZE

Bella 500 BR, standard boat without engine
Bella 500 BR + Mercury F80 ELPT EFI



STANDARD EQUIPMENT

- 12V DC power outlets, 2 pcs
- Anchor/rope locker, bow and aft
- Bilge pump, electric
- Canopy storage
- Cushions, aft
- Fender basket, 4 pcs
- Fire extinguisher
- Fixed fuel tank, 72 L
- Mug holders, 4 pcs
- Navigation lights
- NFB cable steering
- Offshore seats, incl. covers
- Option for chartplotter, max 35 cm x 20 cm
- Rails and fittings stainless, acid proof steel
- Self-draining cockpit
- SmartCraft multifunction display
- Speed controller for trolling
- Storage compartment under deck: 108 cm x 34 cm x 32 cm
- Storage space and 12V power plug for cool box
- Swim ladder
- USB charging, 2 pcs
- Windscreen in tempered glass
- White hull

YOUR CHOICE OF EXTRA EQUIPMENT

- Antifouling
- Canopy
- Cockpit cover for harbour use, aft
- Cockpit cover for harbour use, bow
- Comfort floor (EVA), light grey
- Cushions, bow, 3 pcs
- GPS 9"
- Sunbed, aft, incl. cushions
- Water ski pole
- Windshield wiper, port side
- Windshield wiper, starboard
- Black rails and cleats (only factory installation)

TEST REPORT

BOAT: BELLA 500 BR **ENGINE:** 80 L EFI **INSTALL. HEIGHT:** 2.
DRIVE AND PROPELLER: 13.25 X 17" BLACK MAX **RATIO:** 2.07:1
LOAD (PERSONS): 2 **AIR TEMP (C°):** 2 **FRESH WATER TEMP (C°):** 8

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
2500	0	9,4	8,1	0,87
3000	0	15,2	10,3	0,67
3500	1	21,2	13,6	0,64
4000	2	26,4	18,2	0,69
4500	3	30,0	20,8	0,69
5000	4	32,9	25,8	0,78
5300	4	34,9	27,9	0,80

The figures in test reports are approximate.
It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	5,01 m
Beam.....	2,01 m
Weight.....	575 kg + engine
Fuel capacity.....	72 L
Draught.....	0,40 m
Engine option.....	80 hp
Max persons.....	6
CE class.....	C


The photographs may include optional accessories.
We reserve the right to make changes without prior notice.



BELLA 600 R

LET THE DRIVING EXPERIENCE DECIDE

Bella 600 R, standard boat without engine
 Bella 600 R + Mercury F115 L EFI CT
 Bella 600 R + Mercury F150 L EFI



STANDARD EQUIPMENT

- Anchor/rope locker, bow and aft
- Bilge pump, manual and electric
- Cushions, aft
- Fender basket, 2 pcs
- Fire extinguisher
- Fixed fuel tank, 135 L
- Hydraulic steering
- Mug holder, 4 pcs
- Navigation lights
- Offshore seats
- Option for chartplotter, max 36 cm x 25 cm, 2 pcs
- Rails and fittings stainless, acid proof steel
- Seat cover, 2 pcs
- Self-draining cockpit
- SmartCraft multifunction display
- Speed controller for trolling
- Storage space and 12V power plug for cool box
- Swim ladder
- USB charging, 2 pcs
- White hull

YOUR CHOICE OF EXTRA EQUIPMENT

- Antifouling
- Back seat cover
- Comfort floor (EVA), light grey
- Console cover
- Cover for harbour use, full length
- Extra swim platform + ladder (factory installation)
- GPS 9"
- Sunbed, bow, incl. 4 cushions
- Trim tabs
- Water ski pole
- Black rails and cleats (only factory installation)

TEST REPORT

BOAT: BELLA 600 R **ENGINE:** 115 CT L EFI **INSTALL. HEIGHT:** 2.
DRIVE AND PROPELLER: 14X19" ENERTIA **RATIO:** 2.38:1
LOAD (PERSONS): 2 **AIR TEMP (C°):** 5 **FRESH WATER TEMP (C°):** 5

RPM	Trim°	Speed (kn)	Fuel (l / h)	Fuel (l / nm)
3000	0	11,8	10,6	0,89
3500	1	17,2	13,3	0,77
4000	2	22,1	18,4	0,83
4500	4	27,1	23,5	0,87
5000	5	30,1	32,1	1,07
5500	6	34,0	37,6	1,11
5700	6	35,7	41,0	1,15

The figures in test reports are approximate.
 It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	6,05 m
Beam.....	2,34 m
Weight.....	900 kg + engine
Fuel capacity.....	135 L
Draught.....	0,42 m
Engine options.....	115-150 hp
Max persons.....	7
CE class.....	C

The photographs may include optional accessories.
 We reserve the right to make changes without prior notice.




BELLA 550 R NIMBLE IN EVERY WAY

Bella 550 R, standard boat without engine

Bella 550 R + Mercury F100 ELPT EFI

Bella 550 R + Mercury F115 L EFI



STANDARD EQUIPMENT

Anchor/rope locker, bow and aft
 Bilge pump, electric
 Fender basket, 4 pcs
 Fire extinguisher
 Fixed fuel tank, 105 L
 Hydraulic steering
 Mug holders, 2 pcs
 Navigation lights
 Offshore seats, 2 pcs, incl. covers
 Option for chartplotter, max 27 cm x 18.5 cm
 Rails and fittings stainless, acid proof steel
 Self-draining cockpit
 SmartCraft multifunction display
 Speed controller for trolling
 Storage compartment under deck: 160 cm x 50 cm x 40 cm
 Swim ladder
 USB charging, 1 pc
 White hull

YOUR CHOICE OF EXTRA EQUIPMENT

Antifouling
 Comfort floor (EVA), light grey
 Console cover
 Cushion + backrest, front of the steering console
 Cushions + backrest, aft
 Cushions, bow, 3 pieces
 Extra swim platform + ladder (factory installation)
 GPS 9"
 Sunbed, aft, incl. cushion
 Water ski pole
 Black rails and cleats (only factory installation)

TEST REPORT

BOAT: BELLA 550 R ENGINE: F100 INSTALL. HEIGHT: 2

DRIVE AND PROPELLER: BLACK MAX 13.3 X 17, ALUMINIUM RATIO: 2.07:1

LOAD (PERSONS): 2 AIR TEMP (C°): 14 FRESH WATER TEMP (C°): -

RPM	Average kn	Fuel average (l / h)	Fuel (l / nm)
3000	14,5	11,1	0,8
3250	17,8	11,5	0,6
3500	20,3	13,4	0,7
4000	25,0	17,7	0,7
4500	28,8	22,6	0,8
5000	32,0	27,5	0,9
5500	34,5	32,4	0,9

The figures in test reports are approximate.
 It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS


Length.....	5,53 m
Beam.....	2,15 m
Weight.....	650 kg + engine
Fuel capacity.....	105 L
Draught.....	0,40 m
Engine options.....	100-115 hp
Max persons.....	7
CE class.....	C

The photographs may include optional accessories.
 We reserve the right to make changes without prior notice.



BELLA 485 R COMPACT CONVENIENCE

Bella 485 R, standard boat without engine
Bella 485 R + Mercury F60 ELPT EFI



STANDARD EQUIPMENT

- 12V DC power outlet
- Anchor/rope locker, bow
- Cushions
- Driver's seat, wide, multifunctional
- Fender basket, 4 pcs
- Fire extinguisher
- Mug holders
- Navigation lights
- NFB cable steering
- Option for chartplotter, max 26 cm x 13.5 cm
- Picnic table
- Rails and fittings stainless, acid proof steel
- Seat cover, 1 pc
- Self-draining cockpit
- SmartCraft multifunction display
- Speed controller for trolling
- Swim ladder
- White hull

YOUR CHOICE OF EXTRA EQUIPMENT

- Antifouling
- Cockpit cover for harbour use
- Cover for steering console
- Black rails and cleats (only factory installation)

TEST REPORT

BOAT: BELLA 485 R **ENGINE:** 60 EFI **INSTALL. HEIGHT:** 2.
DRIVE AND PROPELLER: 15" SPITFIRE (ALU) **RATIO:** 2.33:1
LOAD (PERSONS): 2 **AIR TEMP (C°):** 27 **FRESH WATER TEMP (C°):** 24

RPM	Average kn	Fuel average (l / h)	Fuel (l / nm)
2500	6,2	4,5	0,72
3000	10,3	6,3	0,61
3500	16,7	7,3	0,44
4000	21,1	9,2	0,44
4500	24,3	11,1	0,46
5000	26,9	13,5	0,50
5500	30,5	16,4	0,54
5900	32,9	19,0	0,58

The figures in test reports are approximate.
It is possible that the propellers used in the tests are not standard propellers.

TECHNICAL SPECIFICATIONS

Length.....	4,90 m
Beam	2,00 m
Weight.....	470 kg + engine
Fuel capacity.....	25 L
Draught	0,38 m
Engine option	60 hp
Max persons	6
CE class.....	C

The photographs may include optional accessories.
We reserve the right to make changes without prior notice.



BELLA

EST. 1970 FINLAND

CREMO BOATS AB
TORPA 12 | 432 95 VARBERG | SWEDEN
TEL. +46 (0)340-50 09 40
INFO@CREMO.SE | ORDER@CREMO.SE
WWW.CREMOBOATS.SE | WWW.BELLABOATS.FI

Optional accessories may appear in the photos of the brochure. We reserve the right to printing errors and equipment changes and delivery delays. Installation, locality-specific delivery and VAT costs are added to package prices.

© COPYRIGHT 2026 CREMO BOATS AB